*Neuroscience Letters*, 166 (1994) 227–229
Elsevier Science Ireland Ltd.



## AUTHOR INDEX

Abbe, J.C., see Sandner, G., 1
Abe, T., see Ueda, Y., 85
Aida, K., see Kudo, H., 187
Alila, A., see Laakso, M.-L., 13
Alleva, E., see Santucci, D., 89
Aloe, L., see Santucci, D., 89

Ben-Ari, Y., see Massamiri, T., 73
Bentivoglio, M., see Peng, Z.-C., 153
Bernard, J., see Bernet, F., 109
Bernet, F., Bernard, J., Laborie, C., Montel, V., Maubert, E. and Dupouy, J.P., Neuropeptide Y (NPY)- and vasoactive intestinal peptide (VIP)-induced aldosterone secretion by rat capsule/glomerular zone could be mediated by catecholamines via $\beta_1$ adrenergic receptors, 109
Bertini, G., see Peng, Z.-C., 153
Bloch, B., see Tison, F., 48
Blok, B.F.M. and Holstege, G., Direct projections from the periaqueductal gray to the pontine micturition center (M-region). An anterograde and retrograde tracing study in the cat, 93
Boccone, L., see Maiese, K., 43
Bonnard, M., Sirin, A.V., Oddsson, L. and Thorstensson, A., Different strategies to compensate for the effects of fatigue revealed by neuromuscular adaptation processes in humans, 101
Botrè, C., see Botrè, F., 126
Botrè, F., Botrè, C., Greco, A., Data, P.G., Di Giulio, C. and Morelli, L., Potentiometric determination of carbonic anhydrase activity in rabbit carotid bodies: comparison among normoxic, hyperoxic and hypoxic animals, 126
Bougault, I., see Steinberg, R., 106

Cabib, S., see Imperato, A., 69
Caratsch, C.G., Santoni, A. and Eusebi, F., Interferon-$\alpha,\beta$ and tumor necrosis factor-$\alpha$ enhance the freguency of miniature end-plate potentials at rat neuromuscular junction, 97
Cestari, V., see Imperato, A., 69
Chen, C.-F., see Tsai, T.-H., 175
Chen, S., see Peng, Z.-C., 153
Commissiong, J.W., see Takeshima, T., 178
Consolandi, O., see Pizzi, M., 77
Courtois, Y., see Dighiero, P., 31
Cullen, G.P., Huston, E. and Dolphin, A.C., Cycloheximide abolishes pertussis toxin-induced increase in glutamate release from cerebellar granule neurones, 17
Czeisler, C.A., see Dijk, D.-J., 63
Czurko, A. and Nishino, H., Appearance of immunoglobulin G and complement factor C3 in the striatum after transient focal ischemia in the rat, 51

Data, P.G., see Botrè, F., 126
Deboer, T. and Tobler, I., Sleep EEG after daily torpor in the Djungarian hamster: similarity to the effects of sleep deprivation, 35
del Arco, C., see del Olmo, E., 149
del Olmo, E., Díaz, A., Guirao-Piñeyro, M., del Arco, C., Pascual, J. and Pazos, A., Transient localization of 5-$HT_{1A}$ receptors in human cerebellum during development, 149
Deleplanque, B., Vitiello, S., Le Moal, M. and Neveu, P.J., Modulation of immune reactivity by unilateral striatal and mesolimbic dopaminergic lesions, 216

Di Giulio, C., see Botrè, F., 126
Di Scala, G., see Sandner, G., 1
Díaz, A., see del Olmo, E., 149
Dighiero, P., Reux, I., Hauw, J.-J., Fillet, A.M., Courtois, Y. and Goureau, O., Expression of inducible nitric oxide synthase in cytomegalovirus-infected glial cells of retinas from AIDS patients, 31
Dijk, D.-J. and Czeisler, C.A., Paradoxical timing of the circadian rhythm of sleep propensity serves to consolidate sleep and wakefulness in humans, 63
Dinarello, C.A., see Reinisch, N., 165
Dolphin, A.C., see Cullen, G.P., 17
Dulhunty, A., see Sah, P., 143
Dupouy, J.P., see Bernet, F., 109

Ebner, B., see Müller, K., 9
Ehrhard, P.B. and Otten, U., Postnatal ontogeny of the neurotrophin receptors trk and trkB mRNA in rat sensory and sympathetic ganglia, 207
Eusebi, F., see Caratsch, C.G., 97

Fallacara, C., see Pizzi, M., 77
Ferrell, W.R., see Karimian, M., 39
Fillet, A.M., see Dighiero, P., 31
Frick, K.M., see Gorman, L.K., 199
Fukuda, Y., see Morii, E., 168
Fuller, L.Z., see Yingling, J.D., 157

Givens, B., see Gorman, L.K., 199
Gomi, H., Ikeda, T., Kunieda, T., Itohara, S., Prusiner, S.B. and Yamanouchi, K., Prion protein (PrP) is not involved in the pathogenesis of spongiform encephalopathy in zitter rats, 171
Gorman, L.K., Pang, K., Frick, K.M., Givens, B. and Olton, D.S., Acetylcholine release in the hippocampus: effects of cholinergic and GABAergic compounds in the medial septal area, 199
Goureau, O., see Dighiero, P., 31
Greco, A., see Botrè, F., 126
Guirao-Piñeyro, M., see del Olmo, E., 149
Güldner, F.H. and Ng, L.T.F., Structural differences between optic synapses in the suprachiasmatic nucleus of hooded and albino rats, 5
Gully, D., see Steinberg, R., 106

Hamada, T., see Tominaga, K., 81
Hätönen, T., see Laakso, M.-L., 13
Hauw, J.-J., see Dighiero, P., 31
Hirokami, M., see Togashi, H., 117
Holstege, G., see Blok, B.F.M., 93
Hömberg, V., see Müller, K., 9
Honma, K., see Kato, M., 59
Huston, E., see Cullen, G.P., 17
Hyman, B.T., Reiter, J., Moss, M., Rosene, D. and Pandya, D., Extracellular signal-regulated kinase (MAP kinase) immunoreactivity in the rhesus monkey brain, 113

Ichinose, H., see Ota, A., 55
Ikeda, T., see Gomi, H., 171
Imperato, A., Obinu, M.C., Cabib, S., Cestari, V. and Puglisi-Allegra, S., Effects of subchronic minaprine on dopamine release in the ventral striatum and on immobility in the forced swimming test, 69

Inoue, K., see Koizumi, S., 191
Ishida, N., Matsui, M., Mitsui, Y. and Mishina, M., Circadian expression of NMDA receptor mRNAs, $\varepsilon 3$ and $\zeta 1$, in the suprachiasmatic nucleus of rat brain, 211
Ito, H., see Ueda, Y., 85
Itoh, K., see Ogawa-Meguro, R., 135
Itohara, S., see Gomi, H., 171

Jackson, B.A., see Yingling, J.D., 157
Johnston, J.M., see Takeshima, T., 178
Junankar, P., see Sah, P., 143

Kähler, C.M., see Reinisch, N., 165
Karimian, M. and Ferrell, W.R., Plasma protein extravasation into the rat knee joint induced by calcitonin gene-related peptide, 39
Kataoka, Y., see Koizumi, S., 191
Kato, M., Honma, K., Shigemitsu, T. and Shiga, Y., Circularly polarized 50-Hz magnetic field exposure reduces pineal gland and blood melatonin concentrations of Long–Evans rats, 59
Kawamura, H., see Kudo, H., 187
Kawamura, M., see Kawano, H., 183
Kawano, H., Sashihara, S., Mita, T., Ohno, K., Kawamura, M. and Yoshii, K., Phenytoin, an antiepileptic drug, competitively blocked non-NMDA receptors produced by *Xenopus* oocytes, 183
Kemnitz, C.P., see McPherson, D.R., 23
Khrestchatisky, M., see Massamiri, T., 73
Kiefer, R., Supler, M.L., Toyka, K.V. and Streit, W.J., In situ detection of transforming growth factor-$\beta$ mRNA in experimental rat glioma and reactive glial cells, 161
Kishida, R., see Ueda, Y., 85
Kitamura, Y., see Morii, E., 168
Kitchener, P.D., Wilson, P. and Snow, P.J., Sciatic axotomy compromises axonal transport of transganglionic tracer BSI-$B_4$ from the soma to the central terminals of C fibre afferents, 121
Kobayashi, K., see Ota, A., 55
Koda, H., see Mizumura, K., 195
Koizumi, S., Inoue, K., Kataoka, Y., Niwa, M. and Takanaka, A., Endothelin-3 activates a voltage-gated Ca channel via a pertussis toxin sensitive mechanism leading to dopamine release from PC12 cells, 191
Konishi, A., see Ogawa-Meguro, R., 135
Kosaka, J., see Morii, E., 168
Krnjević, K., see Zhu, P.J., 27
Kudo, H., Ueda, H., Kawamura, H., Aida, K. and Yamauchi, K., Ultrastructural demonstration of salmon-type gonadotropin-releasing hormone (sGnRH) in the olfactory system of masu salmon (*Oncorhynchus masou*), 187
Kumazawa, T., see Mizumura, K., 195
Kunieda, T., see Gomi, H., 171

Laakso, M.-L., Hätönen, T. and Alila, A., The adjustment of the melatonin rhythm of rats by 90-min dark pulses, 13
Laborie, C., see Bernet, F., 109
Laviola, G., see Santucci, D., 89
Le Fur, G., see Steinberg, R., 106
Le Moal, M., see Deleplanque, B., 216

Maiese, K., Wagner, J. and Boccone, L., Nitric oxide: a downstream mediator of calcium toxicity in the ischemic cascade, 43
Massamiri, T., Khrestchatisky, M. and Ben-Ari, Y., Induction of c-*fos* mRNA expression in an in vitro hippocampal slice model of adult rats after kainate but not $\gamma$-aminobutyric acid or bicuculline treatment, 73
Matsui, M., see Ishida, N., 211
Matsumoto, M., see Togashi, H., 117
Matsumura, T., see Ueda, Y., 85
Maubert, E., see Bernet, F., 109
McPherson, D.R. and Kemnitz, C.P., Modulation of lamprey fictive swimming and motoneuron physiology by dopamine, and its immunocytochemical localization in the spinal cord, 23
Memo, M., see Pizzi, M., 77
Minagawa, M., see Mizumura, K., 195
Minami, M., see Togashi, H., 117
Mishina, M., see Ishida, N., 211
Mita, T., see Kawano, H., 183
Mitsui, Y., see Ishida, N., 211
Mizuguchi, T., see Ota, A., 55
Mizumura, K., Minagawa, M., Koda, H. and Kumazawa, T., Forskolin does not augment the bradykinin response of canine visceral polymodal receptors in vitro, 195
Mizuno, N., see Ogawa-Meguro, R., 135
Montel, V., see Bernet, F., 109
Morelli, L., see Botrè, F., 126
Mori, K., see Shinomura, T., 131
Morii, E., Kosaka, J., Nomura, S., Fukuda, Y. and Kitamura, Y., Demonstration of retinal cells expressing messenger RNAs of the c-*kit* receptor and its ligand, 168
Morita, S., see Ota, A., 55
Moss, M., see Hyman, B.T., 113
Müller, K., Ebner, B. and Hömberg, V., Maturation of fastest afferent and efferent central and peripheral pathways: No evidence for a constancy of central conduction delays, 9

Nagatsu, T., see Ota, A., 55
Nakao, S.-i., see Shinomura, T., 131
Neveu, P.J., see Deleplanque, B., 216
Ng, L.T.F., see Güldner, F.H., 5
Nishino, H., see Czurko, A., 51
Nistri, A., see Stocca, G., 139
Niwa, M., see Koizumi, S., 191
Nomura, S., see Morii, E., 168
Normand, E., see Tison, F., 48
Nowak, J.Z., see Zawilska, J.B., 203

Oberling, P., see Sandner, G., 1
Obinu, M.C., see Imperato, A., 69
Oddsson, L., see Bonnard, M., 101
Ogawa-Meguro, R., Shigemoto, R., Itoh, K., Konishi, A. and Mizuno, N., Immunohistochemical localization of substance P receptor in the superior colliculus. A light and electron microscope study in the rat, 135
Ohno, K., see Kawano, H., 183
Olton, D.S., see Gorman, L.K., 199
Ota, A., Ichinose, H., Kobayashi, K., Morita, S., Sawada, H., Mizuguchi, T. and Nagatsu, T., Nicotine-induced regulation of tyrosine hydroxylase activity in adrenal gland of transgenic mouse carrying human tyrosine hydroxylase gene, 55
Otten, U., see Ehrhard, P.B., 207

Pandya, D., see Hyman, B.T., 113
Pang, K., see Gorman, L.K., 199
Pascual, J., see del Olmo, E., 149
Pazos, A., see del Olmo, E., 149

Peng, Z.-C., Chen, S., Bertini, G., Schmidt, H.H.H.W. and Bentivoglio, M., Co-localization of nitric oxide synthase and NGF receptor in neurons in the medial septal and diagonal band nuclei of the rat, 153
Pizzi, M., Fallacara, C., Consolandi, O., Memo, M. and Spano, P.F., α-Amino-3-hydroxy-5-methyl-4-isoxazolepropionate and kainate differently affect neuronal cytoarchitecture of rat cerebellar granule cells, 77
Prusiner, S.B., see Gomi, H., 171
Puglisi-Allegra, S., see Imperato, A., 69

Rankin, J., see Santucci, D., 89
Reinisch, N., Wolkersdorfer, M., Kähler, C.M., Ye, K., Dinarello, C.A. and Wiedermann, C.J., Interleukin-1 receptor type I mRNA in mouse brain as affected by peripheral administration of bacterial lipopolysaccharide, 165
Reiter, J., see Hyman, B.T., 113
Reux, I., see Dighiero, P., 31
Rosene, D., see Hyman, B.T., 113

Sah, P., Dulhunty, A., Junankar, P. and Stanhope, C., Subcellular distribution of ryanodine receptor-like and calcium ATPase-like immunoreactivity in brainstem and cerebellar neurones of rat and guinea pig, 143
Saito, H., see Togashi, H., 117
Sandner, G., Di Scala, G., Oberling, P., Abbe, J.C., Stampfler, A. and Sens, J.C., Distribution of lithium in the rat brain after a single administration known to elicit aversive effects, 1
Santoni, A., see Caratsch, C.G., 97
Santucci, D., Rankin, J., Laviola, G., Aloe, L. and Alleva, E., Early exposure to aluminium affects eight-arm maze performance and hippocampal nerve growth factor levels in adult mice, 89
Sashihara, S., see Kawano, H., 183
Sawada, H., see Ota, A., 55
Schmidt, H.H.H.W., see Peng, Z.-C., 153
Sens, J.C., see Sandner, G., 1
Shibata, S., see Tominaga, K., 81
Shiga, Y., see Kato, M., 59
Shigemitsu, T., see Kato, M., 59
Shigemoto, R., see Ogawa-Meguro, R., 135
Shinomura, T., Nakao, S.-i. and Mori, K., Reduction of depolarization-induced glutamate release by heme oxygenase inhibitor: possible role of carbon monoxide in synaptic transmission, 131
Sirin, A.V., see Bonnard, M., 101
Snow, P.J., see Kitchener, P.D., 121
Soubrié, P., see Steinberg, R., 106
Souilhac, J., see Steinberg, R., 106
Spano, P.F., see Pizzi, M., 77
Stampfler, A., see Sandner, G., 1
Stanhope, C., see Sah, P., 143
Steinberg, R., Bougault, I., Souilhac, J., Gully, D., Le Fur, G. and Soubrié, P., Blockade of neurotensin receptors by the antagonist SR 48692 partially prevents retrograde axonal transport of neurotensin in rat nigrostriatal system, 106
Stocca, G. and Nistri, A., Modulation by TRH of NMDA-elicited responses of CA1 neurones of the rat hippocampal slice preparation, 139
Streit, W.J., see Kiefer, R., 161
Supler, M.L., see Kiefer, R., 161

Takanaka, A., see Koizumi, S., 191
Takeshima, T., Johnston, J.M. and Commissiong, J.W., Oligodendrocyte-type-2 astrocyte (O-2A) progenitors increase the survival of rat mesencephalic, dopaminergic neurons from death induced by serum deprivation, 178
Thorstensson, A., see Bonnard, M., 101
Tison, F., Normand, E. and Bloch, B., Prenatal ontogeny of D2 dopamine receptor and dopamine transporter gene expression in the rat mesencephalon, 48
Tobler, I., see Deboer, T., 35
Togashi, H., Matsumoto, M., Yoshioka, M., Hirokami, M., Minami, M. and Saito, H., Neurochemical profiles in cerebrospinal fluid of stroke-prone spontaneously hypertensive rats, 117
Tominaga, K., Shibata, S., Hamada, T. and Watanabe, S., $GABA_A$ receptor agonist muscimol can reset the phase of neural activity rhythm in the rat suprachiasmatic nucleus in vitro, 81
Toyka, K.V., see Kiefer, R., 161
Tsai, T.-H. and Chen, C.-F., Simultaneous measurement of acetylcholine and monoamines by two serial on-line microdialysis systems: effects of methamphetamine on neurotransmitters release from the striatum of freely moving rats, 175

Ueda, H., see Kudo, H., 187
Ueda, Y., Kishida, R., Abe, T., Matsumura, T. and Ito, H., Enhancement of serotonergic immunoreactivity in sympathetic cerebrovascular nerve fibers after experimental embolic stroke, 85

Vitiello, S., see Deleplanque, B., 216

Wagner, J., see Maiese, K., 43
Watanabe, S., see Tominaga, K., 81
Wiedermann, C.J., see Reinisch, N., 165
Wilson, P., see Kitchener, P.D., 121
Wolkersdorfer, M., see Reinisch, N., 165

Yamanouchi, K., see Gomi, H., 171
Yamauchi, K., see Kudo, H., 187
Ye, K., see Reinisch, N., 165
Yingling, J.D., Fuller, L.Z. and Jackson, B.A., Modulation of cyclic AMP metabolism by protein kinase C in PC18 cells, 157
Yoshii, K., see Kawano, H., 183
Yoshioka, M., see Togashi, H., 117

Zawilska, J.B. and Nowak, J.Z., Does $D_4$ dopamine receptor mediate the inhibitory effect of light on melatonin biosynthesis in chick retina?, 203
Zhu, P.J. and Krnjević, K., Anoxia selectively depresses excitatory synaptic transmission in hippocampal slices, 27